
Milestone Systems XProtect® Video Management Software Product Comparison Chart October 10, 2016





Contents

Introduction	3
XProtect VMS products	4
High-level XProtect VMS product comparison	5
Detailed XProtect VMS products comparison chart	7
Clients for XProtect VMS products	13
High level XProtect client comparison	13
Detailed XProtect client comparison	14



Introduction

As the world's leading provider of open platform IP video management software (VMS), Milestone Systems offers a wider range of VMS products optimized for different types of deployment and usage. This document provides an in-depth comparable outline of Milestone's XProtect VMS products and the associated clients.

The document is intended as a technical sales tool with two primary purposes:

- Provide an overview of the features that each XProtect product provides
- Support the selection of the optimal product by offering a visible comparison between the various products in the XProtect product range

The document presents separate comparison charts for the XProtect VMS platform products and the XProtect clients, where each product category has an overview comparison chart, followed by a more detailed and comprehensive chart.

The following XProtect VMS platform products are covered:

Business-ready VMS products:

- XProtect[®] Essential
- XProtect[®] Express
- XProtect[®] Professional

Advanced VMS products:

- XProtect® Enterprise (please see note below)
- XProtect® Expert
- XProtect[®] Corporate

XProtect Enterprise – end-of-development notification

Please note that Milestone per June 1, 2016 announces end-of-development of XProtect Enterprise. This implies that the 2016 R2 version of XProtect Enterprise is the last version of the product. The product will remain available for purchase until June 1, 2020, but Milestone recommends new customers to consider XProtect Expert or XProtect Professional.

The following XProtect clients are covered:

- XProtect® Smart Client
- XProtect[®] Web Client
- Milestone Mobile

The document does not cover XProtect add-on products or Milestone Utilities.

The information in this document only provides basic information. Refer to the individual product specification sheets for a complete listing of all features for a given XProtect product.

Milestone reserves the right to change the product specifications without prior notice.



XProtect VMS products

Milestone offers the market's widest portfolio of IP VMS solutions spanning from easy-to-use small, single-server solutions to fully scalable advanced solutions for high-security surveillance and alarm centers. All products in the XProtect portfolio are designed based on the same powerful open architecture, which makes the XProtect products compatible with more IP cameras and video encoders than any other VMS manufacturers.

Each of the XProtect VMS products has been optimized to meet the specific needs in the different market segments in terms of:

- Ease of deployment
- · Ease of use
- Scalability (number of cameras and single server to fully distributed deployment)
- Functionality level
- Integration of third-party applications



High-level XProtect VMS product comparison

The table below gives an overview of Milestone's XProtect VMS products and their key capabilities.

	Business	ready VMS	solutions	Advanced VMS solutions					
XProtect VMS Products/ Version	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate			
Key Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3			
Type of deployment	Single-server	Single-server	Multi-server	Multi-site	Centrally managed, multi-server	Centrally managed, distributed sites			
Licensing	8 devices free, expandable with subscription packs ⁽²⁾	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual			
Number of connected devices per system	48	48	Unlimited ⁽¹⁾	Unlimited ⁽¹⁾	Unlimited	Unlimited			
Number of supported devices per recording server	48	48	Unlimited	Unlimited	Unlimited	Unlimited			
Number of supported recording servers	1	1	Unlimited	Unlimited	Unlimited	Unlimited			
Maximum numbers of users	5	5	Unlimited	Unlimited	Unlimited	Unlimited			
Multiple video export formats	Yes	Yes	Yes	Yes	Yes	Yes			
Supports XProtect Smart Client, XProtect Web Client and Milestone Mobile	Yes	Yes	Yes	Yes	Yes	Yes			
Alarm Manager	Yes ⁽³⁾	Yes ⁽³⁾	Yes	Yes	Yes	Yes			
Map function	Yes ⁽⁴⁾	Yes ⁽⁴⁾	Yes	Yes	Yes	Yes			
Smart Map function	-	-	-	-	Yes	Yes			
Archiving to network storage	-	Yes	Yes	Yes	Yes	Yes			
Third-party application integration and support for video analytics ⁽⁵⁾	-	Yes	Yes	Yes	Yes	Yes			
Video out via Milestone ONVIF Bridge	-	Yes	Yes	Yes	Yes	Yes			
Microsoft Active Directory support	-	-	Yes	Yes	Yes	Yes			
Metadata support	-	-	-	-	Yes	Yes			
Centralized management	-	-	-	-	Yes	Yes			
Flexible event rule engine	-	-	-	-	Yes	Yes			
Edge Storage	-	-	-	-	Yes	Yes			
Failover Recording Servers	-	-	-	-	Yes	Yes			
Evidence Lock	-	-	-	-	-	Yes			
Supports XProtect Smart Wall	-	-	-	-	Option	Included			
Milestone Interconnect™	-	Remote site	Remote site	Remote site	Remote site	Central/ Remote site			
Milestone Federated Architecture™	-	-	-	-	Remote site	Central/ Remote site			
Customer Dashboard ⁽⁶⁾	Supported	Supported	Supported	Supported	Supported	Supported			
Connected Services ⁽⁶⁾	Supported	Supported	Supported	Supported	Supported	Supported			

Notes:

^(*) Please note that Milestone per June 1, 2016 announces end-of-development of XProtect Enterprise. This implies that the 2016 R2 version of XProtect Enterprise is the last version of the product. The product will remain available for purchase until June 1, 2020, but Milestone recommends new customers to consider XProtect Expert or XProtect Professional

⁽¹⁾ For most installations larger than 250 cameras, Milestone recommends using XProtect Expert or XProtect Corporate

⁽²⁾ Optional subscription packs (up to maximum 5 packs) including 8 additional device licenses and Care Plus coverage available on annual subscription basis

⁽³⁾ Not full alarm management functionality

⁽⁴⁾ Supports a single-layer, interactive map, without alarm integration



- (5) Using Milestone Integration Platform (MIP)
- (6) Requires active Milestone Care Plus coverage, for XProtect Essential minimum one subscription pack is required.



Detailed XProtect VMS products comparison chart

The table below gives a detailed listing of all major features in the different XProtect VMS products. The features are organized in to categories for increased readability.

	Business	ready VMS	solutions	Adva	nced VMS s	olutions
XProtect VMS Products	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate
Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3
System components (software modules)						
Recording Server	1	1	1	1	1	1
Failover Recording Server	-	-	-	-	1	1
Hot-standby Failover Recording Server	-	-	-	-	/	/
Maximum number of connected devices per system	48	48	Unlimited ⁽¹⁾	Unlimited ⁽¹⁾	Unlimited	Unlimited
Maximum number of recording servers per system	1	1	Unlimited	Unlimited	Unlimited	Unlimited
Maximum number of devices per recording server	48	48	Unlimited	Unlimited	Unlimited	Unlimited
Recording Server manager	✓	1	1	1	1	/
Management Server	-	-	-	-	1	/
Management Failover Server (redundant cluster)	-	-	-	-	/	/
Management Application (local management)	/	1	/	/	-	_
Management Client ⁽³⁾ (dedicated client application for local or remote management)	-	-	-	-	1	✓
Event Server (for handling of events and alarms)	/	/	/	1	/	/
Failover Event Server (redundant cluster)		_	_	_	/	/
Milestone Mobile (server and client)	/	/	/	/	/	/
XProtect Smart Client ⁽³⁾	<i>J</i>					
	·····	/	/	/	/	/
XProtect Web Client	<i>,</i>	1	1	1	1	/
XProtect Smart Client - Player ⁽³⁾ (local playback/export)	/	1	1	1	1	1
Licensing	8 devices free, expandable with subscription packs ⁽²⁾	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual
Distributed operation						
Milestone Interconnect™	-	Remote site	Remote site	Remote site	Remote site	Central/ Remote sit
Milestone Federated Architecture™	=	-	-	-	Remote site	Central/ Remote sit
Remote camera connection via Remote Connection Service	-	-	-	-	-	1
Device support						
Support for ONVIF™ compliant devices	/	1	1	1	1	1
Support for PSIA compliant devices	1	1	1	1	1	1
Generic device support via Milestone universal driver	/	/	/	/	/	1
Metadata from camera embedded analytics	-	-	-	-	1	1
Number of IP device brands supported via dedicated device integration ⁽⁴⁾	152	152	152	152	134	134
Number of supported IP camera models (4)	5136	5136	5136	5136	4844	4866
Number of supported video encoder models (4)	363	363	363	363	313	313
Number of dedicated IP input/output models (4)	14	14	14	14	14	14
Number of supported DVRs (4)	76	76	76	76	72	72
Number of supported IP audio devices (4)	10	10	10	10	10	10
Number of supported perimeter detectors (4)	18	18	18	18	18	18
Secure HTTPS camera connectivity (on supported devices)	/	1	1	1	1	1
Video processing						
MJPEG, MPEG-4, MPEG-4 ASP and MxPEG support	✓	✓	1	1	1	1
H.264 support	/	1	1	1	/	/



	Business	ready VMS	solutions	Adva	nced VMS s	olutions
XProtect VMS Products	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate
Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3
H.265 support	-	-	-	-	1	1
Metadata support	-	-	-	-	/	/
Dual stream (live and recording) per camera	/	/	/	/	/	/
Multi-live streaming	-	-	-	-	/	/
Client video stream down sampling (resolution and FPS) option	/	1	1	1	1	1
Adjustable GOP size (MPEG4/H.264)	-	-	-	-	/	/
Browse DVR recordings	-	-	-	/	-	-
Send camera pre-alarm images (pre-recording buffer) to recording server	✓	1	1	1	1	✓
Video recording speed up on motion, event or time schedule	/	✓	✓	✓	✓	✓
Built-in Video Motion Detection (VMD)	1	1	✓	1	1	1
Auto adjustable VMD sensitivity	✓	1	1	1	/	1
Motion metadata generated during VMD analysis	-	-	-	-	1	✓
VMD exclusion zones	✓	/	/	/	/	✓
Video motion detections per server			All connecte	d cameras		
Audio						
One-way audio support	/	✓	✓	✓	1	✓
Two-way audio support	-	-	1	✓	1	✓
One-way audio recording	/	✓	✓	✓	1	✓
Two-way audio recording	-	-	-	-	1	✓
Maximum number of supported audio channels	26	48	Unlimited	Unlimited	Unlimited	Unlimited
Pan-tilt-zoom (PTZ)						
Preset positions per camera	25	25	50	50	Unlimited	Unlimited
Go-to preset on event	/	1	✓	1	1	1
Preset patrolling	-	1	✓	1	✓	1
Combine patrolling and go-to preset on event	-	-	1	/	1	✓
Scanning/transition speed	-	1	✓	1	1	1
Number of PTZ priority levels for prioritized PTZ control	1	1	1	1	32,000	32,000
I/O and events						
Hardware configurable events (such as I/O input, motion, tampering, temperature, communication failure)	/	/	/	/	1	✓
Motion detection events (VMD in XProtect Recording Server)	/	/	/	/	/	✓
System error events (for example disk full)	/	✓	✓	✓	1	✓
Manual / User defined events	1	1	/	1	1	/
Generic events from external systems	-	1	✓	1	1	✓
Event-based device configuration	-	-	-	-	1	/
Event-based notification	/	1	/	1	1	1
Event-based output control	/	1	✓	1	1	/
Event-based device start/stop	/	1	/	/	/	✓
Event-based matrix control	-	-	/	1	/	1
Flexible event rule engine for definition of actions on events	-	-	-	-	1	1
Bookmark function Manual bookmarking (quick bookmarking and bookmarking with	-	-	-	-	/	√
details)						
Rule-based bookmarking	-	-	-	-	-	✓
Evidence Lock						
Lock video for on or multiple cameras	-	-	-	-	-	✓
Retrieve overview of locked video sequences	_	_	-	_	-	/



	Business	ready VMS	solutions	Adva	nced VMS s	olutions
XProtect VMS Products	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate
Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3
Alarm Manager						
Alarm description and work instructions	-	-	✓	1	1	1
Ability to assign initial owner of an alarm	-	-	✓	1	✓	✓
Time profiles for alarms	-	-	-	-	✓	✓
View triggered alarms	/	✓	✓	1	✓	✓
Manage alarms (reassign, change status, comment)	-	-	✓	1	1	✓
Push alarms to users of Milestone Mobile ⁽⁷⁾	1	1	1	1	1	1
Maximum number of related cameras in alarm preview window	-	-	15	15	15	15
Number of alarm priority levels	32,000	32,000	32,000	32,000	32,000	32,000
Customizable alarm priority levels	1	1	1	1	/	/
Customizable sound notification	-	-	1	1	1	/
Customizable alarm categories	1	1	1	1	1	/
Customizable alarm statuses	-	-	1	/	/	/
Customizable alarm result codes	-	-	1	1	/	/
Alarm handling reporting	-	-	1	/	/	/
Alarm logging	1	1	1	/	/	✓
Redundancy option for high availability	-	-	-	-	✓	1
Storage and archiving						
Pre-recording buffer in RAM	-	-	-	-	1	1
Video retention time	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Recording capacity per device/day	>1 TB(6)	>1 TB ⁽⁶⁾	>1 TB ⁽⁶⁾	>1 TB ⁽⁶⁾	Unlimited	Unlimited
Archiving of recordings	/	/	1	1	1	✓
Archiving to network drives	-	1	1	1	1	1
Dynamic archiving (disk spanning)	1	1	1	1	-	-
Online access to archives	/	1	1	1	1	1
Archiving schedules	Hourly	Hourly	Hourly	Hourly	Hourly	Hourly
Automatic storage distribution	1	1	1	1	-	-
Storage definition and retention time per device Storage definition and retention time that can be applied to	_	-	-	-	<i>J</i>	✓ ✓
individual cameras or common for multiple devices					•	
Multi-stage video storage and data grooming	-	-	-	-	-	/
Storage overview (used vs. available space) of available storage drives	1	1	1	1	1	/
Event on premature deletion of video due to insufficient physical storage	-	-	-	-	<i>'</i>	1
Edge Storage support with flexible retrieval Scalable Video Quality Storage™	-	-	-	-		/
(merging centrally and edge stored video recordings) Evidence Lock	-	-	-	-	/	<i>,</i>
	-		-	-		✓ ✓
Video data encryption		-				
Digital video database signing	-	-	-	-	-	1
Integration		,	,	1	,	,
Plug-in, Protocol, Component integration via MIP SDK	-	/	/		<i>J</i>	✓ ✓
System Configuration via MIP SDK Metadata integration	-	-	-	-	1	
Metadata integration	-					1
Event integration	-		-	-	<i>J</i>	<i>\</i>
Event and action rule engine integration via MIP SDK	-	-	-	-	,	✓
Support or XProtect Add-on products		,	,	,	,	
Supports XProtect LDB	-	1	1	1	1	/
Supports XProtect LPR Supports XProtect Smart Wall	-	-	-	-	✓ Option	✓ Included



	Business	ready VMS	solutions	Adva	nced VMS s	olutions
XProtect VMS Products	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate
Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3
Supports XProtect Transact	-	1	1	1	1	1
Supports XProtect Retail	-	1	/	/	/	1
Supports XProtect Screen Recorder	1	1	/	1	/	1
Supports Milestone ONVIF Bridge	-	1	1	1	1	1
Management						
Automatic initial configuration wizard	1	1	1	1	-	-
Configuration wizards for aided system setup	✓	/	/	1	/	/
Automatic camera discovery	/	1	1	1	-	-
Device scanning with device model detection	/	1	1	1	1	1
Automatic camera IP address assignment (9)	/	1	/	1	-	_
Automatic camera time synchronization	/	/	/	1	_	_
Device replacement wizard	<i>-</i>	/	/	/	/	/
Move device wizard for moving hardware devices (e.g. cameras) between recording servers in runtime	=	-	-	-	, ,	/
Centralized device management	-	-	-	-	1	1
Device group support	-	-	-	-	1	1
Centralized recording server management	-	-	-	-	1	1
Management Client profiles	-	-	-	-	-	1
Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles)	=	-	-	-	3	Unlimited
Day length time profile	-	-	-	-	1	1
On-the-fly configuration changes	-	-	-	-	1	1
Run servers as Windows Services	/	1	1	1	/	/
Scheduled start/stop of devices	/	/	/	1	/	1
Configuration reporting	-	-	-	-	/	/
System configuration restore points	/	/	/	1	-	-
Export and import of configuration data	/	/	/	/	_	-
Built-in backup-restore support	-	-	-	-	/	1
Automatic license activation of online systems	/	/	/	/	/	/
Offline license activation	· · · · · · · · · · · · · · · · · · ·	/	/	/	/	/
Add/replace devices without reactivation in offline systems ⁽⁸⁾	· ·	· ·	, ,	/	· ·	,
System Monitoring						
Customizable dashboard for task or component specific live monitoring	-	-	-	-	✓	1
Customizable event trigger thresholds for Normal, Warning and Critical levels	-	-	-	-	✓	✓
Real-time and historical system status of Management Server	-	-	-	-	/	/
Real-time and historical system status of Recording Servers	-	-	-	-	/	1
Real-time and historical system status of other XProtect servers	-	-	-	-	/	/
Real-time and historical system status of individual cameras	-	-	-	-	/	/
Dedicated System Monitor tab that can be displayed as floating window	-	-	-	-	/	1
Viewing clients						
Maximum number of clients	5	5	Unlimited	Unlimited	Unlimited	Unlimited
Customizable access port with NAT support	1	1	1	1	1	1
Multicast support	-	-	-	-	/	1
Single step installer (installs XProtect Smart Client together with server)	1	1	1	1	1	1
XProtect® Smart Wall						
Supports XProtect Smart Wall video wall add-on	-	-	-	-	Option	Included



	Business	ready VMS	solutions	Advanced VMS solutions					
XProtect VMS Products	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate			
Features	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3			
Number of XProtect Smart Walls and XProtect Smart Wall displays	-	-	-	-	Unlimited	Unlimited			
Number of concurrent video streams	-	-	-	-	Unlimited	Unlimited			
Maximum number of content positions per display	-	-	-	-	100	100			
Presets for display layouts and camera content	-	-	-	-	/	/			
Live video stream content	-	-	-	-	/	/			
XProtect Smart Client controlled playback of video	-	-	-	-	✓	/			
Support for rich video wall content, including: maps, still images, http pages, alarms, texts, bookmarks, system monitor, etc.	-	-	-	-	1	/			
Rule-based control of layout and content (including text messages)	-	-	-	-	/	/			
System alarms and notification	1	,	1	,	/	✓			
Email notification SMS notification	<i>'</i>	✓ ✓	<i>'</i>	<i>J</i>	-	Y			
	✓			-		-			
Multiple notification profiles	-	-	-	-	/	<i>\</i>			
SNMP trap System Watch support	-	- /	- /	-	-	Y			
Customer Dashboard	✓ ✓		V	<i>y</i>		- /			
User authentication and rights management	y	1	y	7	/	,			
Centralized user management			-	-	/	/			
Tiered management rights	_	_	_		_	/			
Inheritance of user rights		_	_			✓ ✓			
Time schedule controlled user access to devices and functions	_	-	_	_	_	/			
Basic User (XProtect application accounts)	<i>'</i>	- ✓	<i>-</i>	/	/	/			
Windows User (local Windows accounts)	,	V	V	/	/	/			
Microsoft Active Directory User (central Active Directory accounts)	<u>-</u>		/	/	/	/			
Dual authorization (Smart Client users)	✓	/	· · ·	/	/	· /			
Dual authorization (Management Client users)	_	_	_	_	/	/			
Windows NTML (NT LAN Manager) authentication	-	-	/	1	/	/			
Kerberos authentication	-	-	-	-	/	/			
Logging					•				
System logging	/	1	1	1	/	/			
Event logging	/	/	/	/	_ (10)	_ (10)			
Audit logging	/	/	/	/	/	/			
Rule logging	-	-	-	-	/	/			
Languages (Management Interface)									
Chinese (Simplified)	/	1	1	1	1	1			
Chinese (Traditional)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
Danish	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
English	✓	1	1	/	1	/			
French	1	1	1	/	1	/			
German	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
Italian	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
Japanese	1	1	1	/	1	/			
Korean	1	1	1	/	1	/			
Portuguese (Brazilian)	1	1	1	/	1	/			
Russian	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
Spanish	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)	√ (11)			
Swedish	-	-	-	-	√ (11)	√ (11)			
Turkish	-	-	-	-	√ (11)	√ (11)			



Notes:

- (*) Please note that Milestone per June 1, 2016 announces end-of-development of XProtect Enterprise. This implies that the 2016 R2 version of XProtect Enterprise is the last version of the product. The product will remain available for purchase until June 1, 2020, but Milestone recommends new customers to consider XProtect Expert or XProtect Professional
- (1) For most installations larger than 250 cameras, Milestone recommends using XProtect Expert or XProtect Corporate
- (2) Optional subscription packs (up to maximum 5 packs) including 8 additional device licenses and Care Plus coverage available on annual subscription basis
- (3) Client application are under normal circumstances backwards compatible with the two earlier major versions of the VMS products
- (4) Supported via dedicated device integration. The figure does not include different device variations in vendor's device series and non-listed OEM devices, or devices that are supported via ONVIF and PSIA drivers and Milestone's universal driver. Information is based on the support in Device Pack 8.7. Please refer to Milestone's website (www.milestonesys.com) for latest figures Includes various devices in series and non-listed OEM devices.
- (5) No more than four USB cameras can be added
- (6) Actual effective storage available will vary dependent on the bitrate generated by the connected devices
- 7) Requires Milestone Care Plus service coverage
- (8) For details on actual allowed number device changes without activation, please refer to: https://www.milestonesys.com/device-change-calculation/
- (9) On supported devices only, please refer to: https://www.milestonesys.com/solution-partners/supported-hardware/
- (10) It is possible to create a rule log entry for events that shall be logged
- (11) Installation and user interface localized. Help system and manuals in English only



Clients for XProtect VMS products

For easy access to video surveillance, Milestone offers three flexible user interfaces: XProtect Smart Client, XProtect Web Client and Milestone Mobile. Compatible with all XProtect VMS products, the clients enable users to access live and recorded video to gain real-time situational awareness and investigate incidents. XProtect clients share common design and basic functionalities so users can seamlessly switch between the interfaces as needs require.

XProtect Smart Client is the primary user interface for security operators and other daily users. Its adaptable user interface provides both basic and advanced users with an interface optimized for their particular tasks. XProtect Web Client provides flexible access to video surveillance from any browser and can be used as the simplified daily viewing client for users with basic needs. Users can access surveillance on-the-go with Milestone Mobile, an application for viewing, playing back and exporting video from smartphones and tablets. Available for download on the App Store[™] and Google Play[™], the application gives instantaneous access to XProtect systems via Wi-Fi, 3G or 4G connections.

High level XProtect client comparison

The table below gives an overview of the different XProtect clients that can be used together with Milestone's XProtect VMS products.

XProtect client/ Version	Milestone Mobile	XProtect Web Client	XProtect Smart Client
Key Features	2016 R3	2016 R3	2016 R3
User platform	Smartphones and tablets	Web browsers	Windows PC
User mobility	High	Medium	Low
Installation required	Yes	No	Yes
User authentication	Yes	Yes	Yes
Dual authorization	-	-	Yes
Secure (HTTPS) client-server connection	Yes	Yes	-
Camera search	Yes	Yes	Yes
View live video	Yes	Yes	Yes
Control PTZ cameras	Yes	Yes	Yes
Advanced PTZ camera control	-	-	Yes
Alarm handling	Yes	-	Yes
Push Notification	Yes	-	-
Interactive maps	-	-	Yes
Smart Map	-	-	Yes
Trigger I/O events	Yes	Yes	Yes
Playback	Single camera	Multi camera	Multi camera
Sequence Explorer	-	-	Yes
Advanced video search (Smart Search)	-	-	Yes
Evidence Lock	-	-	Yes
Export/share video from one camera	Yes	Yes	Yes
Export video from multiple cameras	-	Yes	Yes
Storyboard function in export	-	-	Yes
Include XProtect Smart Client – Player in export	-	-	Yes
Video Push	Yes	-	-
Dynamic bandwidth adaptation	Yes	Yes	-
Hardware accelerated video decoding (Intel Quick Sync video)	-	-	Yes



Detailed XProtect client comparison

This section provides a detailed comparison between the different XProtect clients, both in relation to each other, and the particular XProtect VMS platforms. The latter is important because some functionality and support of the clients are determined by the specific XProtect product or product version. The features are organized into categories for increased readability.

XProtect Client		Mi	lestor	ne Mo	bile			XPro	otect '	Web (Client	XProtect Smart Client								
Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3		
Feature set when used with specific XProtect VMS platform	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate		
General view handling																				
Number of view layouts			2	2					2	2					4	1				
Maximum view Items per view Optimized view layouts for 4:3 and 16:9 display ratios	100								10						10					
Corridor optimized view layouts	-															′				
Optimized view layouts for landscape and portrait displays	/															′				
Cameras from multiple XProtect servers	-			,	•		-	•		,	•		-	•						
Support for Shared Views and Private Views			•	/					•	′										
XProtect Smart Wall views				-						•					•		•	/		
Images in views				-											-					
Active HTML pages in views				-						•					•					
Hotspot in views				-						•					•					
Carousel in views (controllable)				-											•	′	<i>,</i>			
Virtual Matrix in views				-				-					-	•		/	,			
Display bounding boxes based on metadata				-						•				-	-		•	/		
Full screen mode			•	/					•	′					•	′				
Display views as floating window				-						•					•	'				
Display views on multiple monitors				-											•	′				
Advanced multi window support with synchronized or independent operation				-					-	•					•					
Switch to view by number				-											-	,				
Initial default view				/					•	′				٠	/					
Camera Navigator													-			/	•			
Camera search			•	/					•	′					•	<u></u>				
Automatic restore views and windows at login			•	/					•	′					•	′				
Live view																				
Update on motion only	-									•					•					
One-way audio support				-						•					•					
Two-way audio support				-						•			-	•		/				
Start recording in view				-						•					/			•		
Start/stop recording in view													-			•	/			
Independent playback in live mode				-			-								•	′				
Replace cameras in view without changing view setup				-					-	•					•					
Send camera to Virtual Matrix				-					-				-			✓				



XProtect Client		Mil	estor	ne Mo	bile			XPro	otect '	Web	Client		XProtect Smart Client								
Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3			
Feature set when used with specific XProtect VMS platform	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate			
Share video image	Via locally installed communication applications (such as email)									-						o clip-bo	oard				
Switch to camera by number	-									-					,	1					
PTZ support																					
Define presets in the client application				-					-	-						/					
Define and control patrolling schemes in the client application																		1			
View who have PTZ control and time to automatic release Lock PTZ control																	•	<i>'</i>			
Go to preset positions	✓									,						,		•			
Pause patrolling at manual operation	- /								•	/			_			/					
Immervision Enables® panomorph lens support				-									- /								
Joystick support				-									✓								
Assign commands to keyboard shortcuts and joystick buttons				-						-			/								
Auxiliary commands (wash and wipe)				-			-							✓							
I/O and events control																					
Camera overlay buttons				-						-			✓								
Manually activate events and trigger outputs			•	/						′			/								
Playback																					
Maximum view items per view				1						(2)					10						
Playback mode		,		camera	а					amera					Multi c						
Recording search Recent history of recording sequences per camera				<u>'</u>						-											
Time/date search				/						,						,					
Independent playback in playback mode				-					-	-					•	,					
Event/alert list in recording				-						-					,	/					
Graphical timeline				-						/					,	/					
Adjust playback speed				/						1						/					
Single frame step (forward/backward)				/						/					•	/					
One-way audio support				-						-					,	/					
Two-way audio support				-						-		- /									
Digital zoom				/						′					•	/					
Share video image	Via locally installed communication applications (such as email)						Single JPG image export							Print, copy to clip-board and save to file							
Print report with comments	-								•	-					•						
Privacy masking	✓								v	/					•	′					
Smart Search																					
Smart Search based on VMD analysis							-							•	/		-	-			
Smart Search based on VMD metadata	a						-							-			′				
Sequence Explorer																					
Listing of sequences				-			-						✓								



Feature set when used with specific and provided the provided and provided the provided and provided the provided and pr	XProtect Client		Mi	lestor	ne Mo	bile			XPro	otect \	Web (Client		XProtect Smart Client									
Listing of time intervals	Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3				
Listing of bookmarks Sonal Search Integrated with Integration of Search Integrated Se	specific XProtect VMS platform		XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate		XProtect Express			XProtect Expert	XProtect Corporate				
Sanat Dearch integrated with Sequence Explorer to that can be displayed as floating window Bookmark function Manual bookmarking (quick details) Instant preview of bookmarks in timeline Listing and previewing of bookmarks in timeline Print bookmark report Print bookmark re	-				-					•	•						/						
Sequence Explorer Dedicated Sequence Explorer tab that can be displayed as floating window Manual bookmarking (quick bookmarking with details) Manual bookmarking (quick bookmarking with details) Manual bookmarking of bookmarks in timeline Listing and previewing of bookmarks in recording search Print bookmark report Direct video export of bookmark Alarm Manager Alarm Ilst and starm proview view items in recording search In normal camera views In normal camera views Alarm Manager Alarm Ilst and starm proview view items in remain camera views In normal camera views Manage alarms (reasign, change status, comment) Instant proview of prinary and related cameras Manage alarms (reasign, change status, comment) Integration with map function Alarm dascription/work instructions Featalation and forwarding handling Print alarm report Audion norbification at new alarm (configuration and palyback video Audion norbification at new alarm (configuration and palyback video Audion norbification at new alarm (configuration per priority level) Alarm handling reporting Alarm handling reporting Audion norbification at new alarm (configuration per priority level) Alarm handling reporting Alarm hone of the manager tab that can be displayed as floating window Push Norfication at new alarm (configuration per priority level) Integration of Jevenses Supported for maps Supported for maps Supported for maps supported Video preview Integrated control of speakers, microphones and I/O devices Drag and drop and point-and-dick definition of propriories Integration per priority viewlew And orbification and point-and-dick definition of point-menses Integration per priority viewlew And system pe	•				-					-						-		-					
Dedicated Sequence Explorer tab that can be displayed as floating windows Bookmark function Bookmark function Bookmark function Manual bookmarking (quick bookmarking with details) Instant preview of bookmarks in timeline Listing and previewing of bookmarks in timeline Listing and preview development of bookmarks in timeline Listing and preview development of the preview in the preview of bookmark (and the preview in the p		-								-						•			′				
Bookmark function Manual bookmarking (quick bookmarking and bookmarking with defails) Manual bookmarking and bookmarking with defails) Manual preview of bookmarks in inclain preview of prince proving search Print bookmark report Direct video export of bookmark Alarm Manager Alarm list and alarm preview view items in normal camera views Alarm Manager Alarm list and alarm preview of prince preview view items in normal camera views Alarm Manager Alarm list and alarm preview of prince proving preview of prince preview of pr	Dedicated Sequence Explorer tab that				-											,	,						
Manual bookmarking quick bookmarking with datals)																							
bookmarking and bookmarking with details) Instant preview of bookmarks in timeline Listing and previewing of bookmarks in creording search Print bookmark report Print bookmark report Print bookmark report Print bookmark Alarm Manage Alarm ist and alarm preview view items in ormal camera views Sort and filtering functions Sort and filtering functions V Instant preview of primary and related cameras Manage alarms (reassign, change status, comment) Integration with map function Integrated printing handling Print alarm report Sealation and forwarding handling Print alarm report Alarm description/voke instructions V Escalation and forwarding handling V Fint alarm report Dedicated Alarm Manager tab that can be displayable witers (configurable per priority level) Alarm handling reporting Dedicated Alarm Manager tab that can be displayed as floating reporting Dedicated Alarm Manager tab that can be displayed as floating reporting Standard graphical file formats supported for maps Number of linked and map layers supported Video preview Integrated control of speakers, microphones and I/O devices Dray-and-drop and point-and-click definition of map elements Integrated CTZ control Rea-time eystem integrity coverview and system performance Smart Map function																							
Instant preview of bookmarks in timeline Listing and previewing of bookmarks in recording search Print bookmark report Print bookmark Print barre bookmark Print bookmark Print barre book	bookmarking and bookmarking with				-					-						-		-	′				
Listing and previewing of bookmarks in recording search Print bookmark report	Instant preview of bookmarks in	-								-								,	,				
Print bookmark report Direct video export of bookmark Alarm Manager Alarm Ist and alarm preview view items in normal camera views Sort and filtering functions V	Listing and previewing of bookmarks in				-													,	,				
Direct video export of bookmark Alarm Manager Alarm Ist and alarm preview view items in normal camera views Sort and filtering functions V					-					-									,				
Alarm Manager Alarm list and alarm preview view items in normal camera views Sort and filtering functions Very camera views Sort and filtering functions Very camera views Sort and filtering functions Very camera Manage alarms (reassign, change status, comment) Integration with map function Alarm description/work instructions Very camera Very camera Alarm description/work instructions Very camera Very came	· · · · · · · · · · · · · · · · · · ·																		,				
Alam list and alam preview view items in normal camera views Sort and filtering functions V	·																						
in normal camera views Sort and filtering functions Instant preview of primary and related cameras Manage alarms (reassign, change status, comment) Integrated or primary and related cameras Manage alarms (reassign, change status, comment) Integrated or primary and related cameras V Manage alarms (reassign, change status, comment) Integrated or primary and related cameras V Manage alarms (reassign, change status, comment) Integrated PTZ control V Integrated PTZ control V Integrated PTZ control Real-time system integrity overview and system performance Smart Map function V Integrated PTZ control Real-time system integrity overview and system performance Smart Map function V Integrated PTZ control Real-time system integrity overview and system performance Smart Map function														,									
Instant preview of primary and related cameras Manage alarms (reassign, change status, comment) Integration with map function Alarm description/work instructions Escalation and forwarding handling Print alarm report Alarm location maps in alarm list Combined access to live and playback video Audio notification at new alarm (configurable per priority level) Alard handling reporting Push Audio notification at new alarm (configurable per priority level) Alarm handling reporting Push Notification Standard graphical file formats supported or maps Video preview Integrated Control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system integrity overview and system integrity overview and system integrity overview and system performance Standard system integrity overview and system integrity overview and system performance Smart Map function	in normal camera views				-					-	•												
cameras Manage alarms (reassign, change status, comment) Integrated with map function Integrated avertice of the maps supported for maps Number of linked map layers supported Video preview Integrated Control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map lements Integrated PTZ control Raad speakers, microphones Standard system integrity overview and system performance Standard function V	-			٠	/					-	-			/									
Integration with map function Integration with map function Integration with map function Integration with map function Integrated mythorized instructions Integrated mythorized instructions Integrated mythorized instructions Integrated PTZ control Integrated Manage function Integrated PTZ control	cameras				-					-													
Alarm description/work instructions Escalation and forwarding handling Print alarm report Alarm location maps in alarm list Combined access to live and playback video Audio notification at new alarm (configurable per priority level) Alarm handling reporting Dedicated Alarm Manager tab that can be displayed as floating window Push Notification Standard graphical file formats supported of maps Number of linked map layers supported Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function		-	•		•	′				-				-	•		✓	,					
Escalation and forwarding handling	Integration with map function				-					-	•			-			/	•					
Print alarm report Alarm location maps in alarm list	·	-			•	•				-	•				•		/	•					
Alarm location maps in alarm list Combined access to live and playback video Audio notification at new alarm (configurable per priority level) Alarm handling reporting Alarm Manager tab that can be displayed as floating window Push Notification Standard graphical file formats supported for maps Number of linked map layers supported Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Real-time system integrity overview and system performance Smart Map function	Escalation and forwarding handling				-					-	•			-			/	•					
Combined access to live and playback video Audio notification at new alarm (configurable per priority level) Alarm handling reporting	·				-					-				-	•		/	,					
video Audio notification at new alarm (configurable per priority level) Alarm handling reporting Dedicated Alarm Manager tab that can be displayed as floating window Push Notification Map function Standard graphical file formats supported for maps Number of linked map layers supported 1 Unlimited Video preview 1 Unlimited Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function	•				-					-				-	•		/	,					
Configurable per priority level) Configurable per priority level Configurable per priority	video				-					-	•			-	-		1	•					
Dedicated Alarm Manager tab that can be displayed as floating window Push Notification The provided of the formats supported for maps Number of linked map layers supported Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function					-					-				-	•		/	•					
be displayed as floating window Push Notification -					-					-	•			-			1	•					
Map function Standard graphical file formats supported for maps Number of linked map layers supported 1 Unlimited Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function					-					-	•			-			1	•					
Standard graphical file formats supported for maps Number of linked map layers supported 1 Unlimited Video preview 1 Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function		-			1					-						-	-						
supported for maps Number of linked map layers supported Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function	•																						
Video preview Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function					-											•	′						
Integrated control of speakers, microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function	Number of linked map layers supported				-									1		U	Inlimited	ł					
microphones and I/O devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function	•	-								-	•					•	′						
definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function		-							-							•	′						
Integrated PTZ control					-			-								•	/						
and system performance Smart Map function	· ·				-			-									/						
Smart Map function	Real-time system integrity overview	-								-				-	-		/	•					
CAD maps supported ✓	CAD maps supported							-										,	,				
GIS maps supported ✓					-									-					/				



XProtect Client		Mi	lestor	ne Mo	bile			XPro	otect \	Web_	Client	XProtect Smart Client								
Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3		
Feature set when used with specific XProtect VMS platform	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate		
Online map services supported: Bing, Google and OpenStreetMap)				-					-						-			/		
Video preview				-					-						-		,	/		
Link to standard maps				-					-						-			′		
XProtect Smart Wall support (1)																				
User control of layout and content				-					-						-		,			
User control playback of video in XProtect Smart Wall				-					-						-		,	/		
Local subscription to XProtect Smart Wall views for local display				-					-	•					-		,	·		
Push rich content to XProtect Smart Wall, such as maps, still images, http pages, alarms, bookmarks, system monitor, etc.																	,	,		
Send manual text messages to XProtect Smart Wall																		′		
Evidence Lock																				
Lock video for one or multiple cameras				-					-							1				
Retrieve overview of locked video sequences				-			-								-			1		
Export																				
Export in still image format (JPEG)				1			✓								•	'				
Export in media player format (AVI)				/					-	′										
Export with audio in media player format (AVI)				-					-						•	,				
Export with audio in media player format (MKV)				-					-	•					•					
Export in XProtect format				-						′					•	′				
Server side export				1						/					-					
Storyboard function in export				-						-					•	,				
Encrypted export with password (3)				-					-						•	,				
Digital signing of exported video (3)				-					-	•					•					
Re-export prevention (3) Auto-export of XProtect Smart Client – Player(3)				-					-						•					
Preserve system defined privacy masks				/					,	,						,				
Additional export specific privacy masks				-											•					
Direct export to optical media				-					-						,	/				
Flexible camera selection for export				-					-						,	′				
Bulk export to multiple media formats	-							-							•	′				
General and camera specific export comments (3)	-							-						✓						
Pre/post comment slides (media player format only)	in -							-						/						
Verification of digital video signatures in XProtect Smart Client – Player (3)				-			-								•	′				
Video Push	,																			
Video Push				/	1		-													
Include location metadata with Video Push			-			✓	-						-							



XProtect Client		Mil	lesto	ne Mo	bile_		XProtect Web Client							XProtect Smart Client						
Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3		
Feature set when used with specific XProtect VMS platform	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate		
System Monitoring																				
Access real-time and historical system performance information (refer to System Monitor section for the VMS for details)													/							
Installation																				
Run without installation				-			✓							-						
Optional browser plug-ins for enhance viewing performance				-			✓							-						
Single step installer (installs client together with server) Initial and update installations from Management Server (4)	-													<i>'</i>						
Notify about new updates	/						_							√ -						
Interactive splash screens Smart Connect (Automatic server	-							<i>,</i>							-					
setup)				-																
System access				,												,				
Auto-login Dual authorization	✓							<u>-</u>							✓ ✓					
Secure (HTTPS) client-server	/						✓							-						
connection Dynamic bandwidth adaptation							/									_				
Bandwidth threshold	<i>,</i>						,							-						
Authorization				v .					<u>_</u>											
Restrict user access by devices (cameras, microphones, I/O devices, etc.)				/						,						/				
Time schedule controlled user access to devices and functions	- /					- /						-								
Restrict access to live view	/						✓							✓						
Restrict access to PTZ	✓						✓							✓						
Restrict access to playback	1							✓							✓					
Restrict access to export	1							✓							✓					
Restrict access to setup	-						-							✓						
Personalization																				
Toggle between Advanced mode and Simplified mode.	-						-						Yes, simplified Yes, advance mode default mode default							
Application options	✓						-						/							
Centralized management of application options	-						-						- /							
Application theme support	-							-						✓						
Task oriented tabs	-						✓							✓						
System																				
Hardware accelerated video decoding (Intel Quick Sync video) Languages (Installation, UI and he	-						-							/						
	oip it	arictio	-	· (5)					,	(5)						/				
Arabic	✓ (5)						✓ ⁽⁵⁾							√ (6)						
Bulgarian Croatian		√ (5)						√ (5)						√ (6)						



XProtect Client		Mi	lestor	ne Mo	bile		XProtect Web Client							XProtect Smart Client							
Current client version	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3	2016 R3	2016 R3	2016 R3	2016 R2	2016 R3	2016 R3			
Feature set when used with specific XProtect VMS platform	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate	XProtect Essential	XProtect Express	XProtect Professional	XProtect Enterprise*	XProtect Expert	XProtect Corporate			
Chinese (Simplified)	√ (5)							√ (5)							√						
Chinese (Traditional)	√ (5)						√ (5)						✓								
Czech	√ (5)						√ (5)						✓								
Danish	√ (5)							√ (5)						✓							
Dutch	√ (5)							√ (5)						✓							
English	✓						✓						✓								
Farsi	√ (5)						✓ (5)						✓ (6)								
Finnish	√ (5)						✓ (5)						✓ (6)								
French	√ (5)						√ (5)						✓								
German	√ (5)						✓ (5)						✓								
Hebrew	✓ (5)						✓ (5)						√ (6)								
Hindi	√ (5)						✓ (5)						✓ (6)								
Hungarian	√ (5)						√ (5)						✓ (6)								
Icelandic	√ (5)						✓ (5)						✓ (6)								
Italian	√ (5)						✓ (5)						✓								
Japanese	√ (5)						√ (5)						✓								
Korean	√ (5)						√ (5)						✓								
Norwegian (Bokmål)	√ (5)						√ (5)						√ (6)								
Polish	√ (5)						√ (5)						✓								
Portuguese (Brazilian)	√ (5)						√ (5)						✓								
Russian	✓ (5)						√ (5)						✓								
Serbian	✓ (5)						√ (5)						✓ (6)								
Slovak	√ (5)						√ (5)						✓ (6)								
Spanish	√ (5)						√ (5)						✓								
Swedish	√ (5)						√ (5)						✓ ·								
Thai		√ (5)						√ (5)						✓ (6)							
Turkish	√ (5)					√ (5)						✓									

Notes

- (*) Please note that Milestone per June 1, 2016 announces end-of-development of XProtect Enterprise. This implies that the 2016 R2 version of XProtect Enterprise is the last version of the product. The product will remain available for purchase until June 1, 2020, but Milestone recommends new customers to consider XProtect Expert or XProtect Professional
- (1) XProtect Smart Wall is included in XProtect Corporate 2014 and newer versions, and subject to separate application license when used with XProtect Expert 2014 and newer versions
- (2) One camera available as main view item, additional view items available as thumbnails
- (3) Feature only applicable to exports in XProtect format
- (4) Image Server in XProtect Essential, XProtect Express, XProtect Professional and XProtect Enterprise
- (5) Milestone Mobile server localized to same languages as the management interface and documentation is only available in English
- (6) Only the user interface is localized; user's manual and online help is not localized